## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claims 1-7 (Canceled)

Claim 8. (Currently Amended) A method for determining the start states of each rule of a plurality of rules and generating a multi-rule deterministic finite state automaton (DFA), which comprises the steps of:

prepending to each rule the metacharacters ".\*" and transforming each rule prepended with the metacharacters to a non-deterministic finite state automaton (NFA) using a Thompson Construction;

analyzing the NFA for each rule to determine NFA start states by the following substeps:

- a) producing an epsilon closure starting at the initial state of the NFA;
- b) producing a 1-closure of the initial epsilon closure;
- c) comparing the states in the initial epsilon closure with the states in the 1 closure; and
- d) determining as NFA start states all states in the 1-closure which are not in the initial epsilon closure;

converting the NFA for each rule into a DFA using an NFA to DFA algorithm, thereby creating a DFA state from one or more NFA states;

determining for each DFA state whether it contains an NFA start state;

for each DFA state that contains an NFA start state, determining the distance of the DFA state from the a global start state of the DFA for each rule;

Application No. 10/773,595 Amendment dated January 10, 2007 Reply to Office Action of October 10, 2006

comparing the distances of the DFA start states that contain an NFA start state from the global start state; choosing as a DFA start state the DFA state containing an NFA start state which is closest to the global start state;

if more than one DFA state containing an NFA start state have the same closest distance to the global start state, accepting as DFA start states each of said closest DFA states having the same closest distance to the global start state;

creating a new NFA start state and inserting an epsilon transition from the new NFA start state to each of the DFA's for each rule, thereby creating a meta-NFA; and converting the meta-NFA to a final multi-rule DFA.